

Update Notes

Please note this update includes corrections to the January 2022 update.

Update Summary

Update Existing Test	1/25/2022	CA125 - "CA 125"
Update Existing Test	1/25/2022	CA199 - "CA 19-9"

Update Existing Test

Effective Date	1/25/2022
Name	CA 125
Code	CA125
Interface Order Code	1010050
Legacy Code	CA125
Notes	The recommended transport temperature change to frozen will begin on 1/25/2022.

Required Testing Changes

Specimen Required	<p><i>Specimen Preparation:</i> Centrifuge, separate serum from cells and send 1.0 mL serum refrigerated in a screw capped plastic vial.</p> <p><i>Minimum Volume:</i> 0.4 mL</p> <p><i>Transport Temperature:</i> Frozen</p>
--------------------------	--

Update Existing Test	
Effective Date	1/25/2022
Name	CA 19-9
Code	CA199
Interface Order Code	1010040
Legacy Code	CA199
Notes	Please note, the reference range will not be changing on 1/25/21 and the correct reference range is highlighted below. The only change will be the recommended transport temperature to frozen on 1/25/22.
Required Testing Changes	
Specimen Required	<p><i>Specimen Preparation:</i> Centrifuge, separate serum from cells and send 1.0 mL serum refrigerated in a screw capped plastic vial.</p> <p><i>Minimum Volume:</i> 0.4 mL</p> <p><i>Transport Temperature:</i> Frozen</p>
Reference Range	≤35.0 U/mL