



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W

WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/28/2023 14:36

Received: 09/28/2023 14:36

Test Name	Result	Flag	Ref-Ranges	Units	Site
Epilepsy, Autoimm/Paraneo, CSF	See Below				WMMR

Test	Result	Flag	Ref Range
Epilepsy-Autoimm/Paraneo, CSF			

Epilepsy, Interpretation, CSF
No informative autoantibodies were detected in this evaluation. However, a negative result does not exclude autoimmune epilepsy, idiopathic or paraneoplastic. Sensitivity and specificity of antibody testing are enhanced by testing both serum and CSF.

IFA Notes None.

AMPA-R Ab CBA, CSF	Negative	Negative
Amphiphysin Ab, CSF	Negative	Negative
AGNA-1, CSF	Negative	Negative
ANNA-1, CSF	Negative	Negative
ANNA-2, CSF	Negative	Negative
ANNA-3, CSF	Negative	Negative
CASPR2-IgG CBA, CSF	Negative	Negative
CRMP-5-IgG, CSF	Negative	Negative
DPPX Ab IFA, CSF	Negative	Negative
GABA-B-R Ab CBA, CSF	Negative	Negative
GAD65 Ab Assay, CSF	0.00	<=0.02 nmol/L
GFAP IFA, CSF	Negative	Negative
LGI1-IgG CBA, CSF	Negative	Negative
mGluR1 Ab IFA, CSF	Negative	Negative
Neurochondrin IFA, CSF	Negative	Negative
NMDA-R Ab CBA, CSF	Negative	Negative
PCA-Tr, CSF	Negative	Negative
PCA-2, CSF	Negative	Negative

Laboratory Notes
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test(s) performed at
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director William G. Morice M.D., Ph.D.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F328000020 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 09/28/23 14:36

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W

WX0000003827 M 07/08/1978 45 Y

Performing Site:

WMMR: MAYO CLINICAL LABS 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.28 14:36

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F328000020
WX0000003827

Printed D&T: 09/28/23 14:36

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 2 OF 2