

TEST DIRECTORY UPDATE

MAY 2022 IMMEDIATE ACTION

Update Notes

Test Code: MNWB - Manganese, Blood

Due to nationwide shortage of Dark Blue Trace Element Tubes, Warde is temporarily accepting Lavender EDTA tubes.

Update Summary					
Announcement	5/3/2022	<u>Test Code Reactivation</u>			
Announcement	5/5/2022	Testing Delay			
Update Existing Test	5/5/2022	CC2 - "Complement Component 2 (C2)"			
Update Existing Test	5/5/2022	DISAC - "Disaccharidases"			
Update Existing Test	5/5/2022	LEGPG - " Legionella pneumophila Antibody (IgG), IFA"			

Announcement – Test Code Reactivation

Test code: FRDIG [3800080] - Digoxin, Free, Serum is now available for ordering.

Announcement – Testing Delay

Testosterone, Free

Test code: TESF

Due to a reagent backorder, results for Testosterone, Free will be delayed. Specimens will be stabilized at Warde Medical Laboratory upon receipt. Testing is expected to resume on May 24, 2022.

At that time, the oldest samples will be assayed first until all backlogged samples are resulted. We anticipate 2 - 3 days to resolve the backlog upon receipt of reagent.

In the meantime, Warde can refer these tests being held to another reference lab if you request it. Please contact Client Services at 800-760-9969 for referral test code and pricing.

LAST EDITED: 2022-05-05 PAGE 1 OF 3



TEST DIRECTORY UPDATE

MAY 2022 IMMEDIATE ACTION

Update Existing Test	F /F /2022			
Effective Date	5/5/2022			
Name	Complement Component 2 (C2)			
Code	CC2			
Interface Order Code	3422160			
Legacy Code	CC2Q			
Notes	Updates include new performing location, CPT Code, specimen requirements, rejection criteria, stability, methodology, reference range, performed days, and TAT.			
Required Testing Change	es es			
CPT Code(s)	86160			
Specimen Required	Serum separator tube (SST) Specimen Preparation: Allow specimen to clot for one hour at room temperature. Centrifuge and separate serum from cells ASAP or within 2 hours of collection. Send 1.0 mL serum in screw capped plastic vial. CRITICAL FROZEN. Separate specimens must be submitted when multiple tests are ordered. Minimum Volume: 0.3 mL Transport Temperature: CRITICAL FROZEN			
Rejection Criteria	Non-frozen specimens. Specimens exposed to repeated freeze/thaw cycles. Specimens left to clot at refrigerated temperature. No alternate specimens accepted.			
Stability	After separation from cells Room temperature: 2 hours Refrigerated: Unacceptable Frozen: 14 days			
Methodology	Quantitative Radial Immunodiffusion			
Reference Range	1.6-4.0 mg/dL			
Performed Days	Monday, Thursday			
Turnaround Time	6 - 11 days			
Performing Laboratory	ARUP Reference Laboratory			

LAST EDITED: 2022-05-05 PAGE 2 OF 3



LABORATORY REPORT

QC ACCOUNT (WARDE) 300 W. TEXTILE ANN ARBOR MI 48108 MAY 22, TEST WX0000003744 M 03/02/2007 15 Y

Referral Testing

Collected: 05/05/2022 09:13 Received: 05/05/2022 09:13

<u>Test Name</u> <u>Result</u> <u>Flag Ref-Ranges</u> <u>Units</u> <u>Site</u>

Complement Component 2 (C2) 3.8 1.6-4.0 mg/dL ARUP

INTERPRETIVE INFORMATION: Complement Component 2

Decreased C2 levels may be associated with increased susceptibility to infection (especially pneumococcal infections), systemic lupus erythematosus-like disease, rashes, arthritis and nephritis, and with C1-Esterase deficiency. Increased C2 levels are associated with the acute phase response.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way

Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, $\,$. - NOT TESTED

D705000000 WX0000003744 Printed D&T: 05/05/22 10:20 Ordered By: CLIENT CLIENT WX0000000000002260



TEST DIRECTORY UPDATE

MAY 2022 IMMEDIATE ACTION

Update Existing Test					
Effective Date	5/5/2022				
Name	Disaccharidases				
Code	DISAC				
Interface Order Code	3724460				
Legacy Code	DISAC				
Notes					
Required Testing Changes					
Reference Range	Lactase 10.1 - 43.4 mM/min/g prot				
	Sucrase 25.0 - 69.9 uM/min/g prot				
	Maltase 100.0 - 224.4 uM/min/g prot				
	Palatinase 2.2 - 24.4 uM/min/g prot				

Update Existing Test						
Effective Date	5	/5/2022				
Name	Legionella pneumo Ab 1-6 IgG					
Code	LEGPG					
Interface Order Code	3620760					
Legacy Code	LEGAR					
Notes	Updates to performing laboratory, name change, specimen requirements, stability, methodology, and performed days.					
Required Testing Change	<u>.</u> 2S	·				
Name	Legionella pneumophila Antibody (IgG), IFA					
Specimen Required	Collect: Serum separator tube (SST) Specimen Preparation: Centrifuge, separate serum from cells within 2 hours and send 1.0 mL serum in a screw capped plastic vial. Minimum Volume: 0.2 mL Transport Temperature: Room temperature					
Stability	Room temperature: 7 days Refrigerated: 14 days Frozen: 30 days					
Methodology	Immunofluorescence assay					
Performed Days	Tuesday - Saturday					
Performing Laboratory	Quest SJC					
Result Code	Name	LOINC Code	AOE/Prompt ²			
3620760	Legionella pneumophila Antibody (IgG), IFA	21362-9	No			

LAST EDITED: 2022-05-05 PAGE 3 OF 3



LABORATORY REPORT

QC ACCOUNT (WARDE) 300 W. TEXTILE ANN ARBOR MI 48108 MAY 22, TEST WX0000003744 M 03/02/2007 15 Y

Referral Testing

Collected: 05/05/2022 10:24 Received: 05/05/2022 10:24

<u>Test Name</u> <u>Result</u> <u>Flag Ref-Ranges</u> <u>Units</u> <u>Site</u>

Legionella pneumophila Antibody (IgG), IFA <1:64 TITER QCRL

REFERENCE RANGE: <1:64

This assay detects serum IgG antibodies to Legionella pneumophila serogroups 1-7. A single IgG titer >1:256 provides presumptive evidence of infection at an undetermined time. A four-fold rise in IgG titer to >=1:256 from the acute to the convalescent (4-6 weeks post-acute) phase provides evidence of a recent infection with Legionella. A negative result (titer <1:64) may indicate early infection, with sample collection prior to antibody development; submission of a later sample is suggested if clinically warranted.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at: Quest Diagnostics Nichols Institute 33608 Ortega Highway San Juan Capistrano, CA 92675-2042

I Maramica MD, PhD

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

D705000004 WX0000003744 Printed D&T: 05/05/22 10:25 Ordered By: CLIENT CLIENT WX0000000000002260

William G. Finn, M.D. - Medical Director Form: MM RL1 PAGE 1 OF 1