



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/14/2023 11:53 Received: 09/14/2023 11:53

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Patient Race, Ethnicity, Specimen Type, Anatomic Location, Orthopoxvirus DNA, QL PCR, and Mpox Virus DNA, QL PCR.

This specimen is negative for Monkeypox virus DNA.
If clinically indicated, consider collecting another specimen.

REFERENCE RANGE: NOT DETECTED

The Monkeypox Virus DNA Real-time PCR is intended for the qualitative detection of Non-variola Orthopoxviruses and Monkeypox virus (West African clade, Clade II) DNA using swabs from human pustular or vesicular rash specimens.

Please review the Fact Sheets and FDA authorized labeling available for health care providers and patients using the following websites:

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories.

Due to the current public health emergency, Quest Diagnostics is accepting samples from appropriate clinical sources (swabs of lesions) collected using a wide variety of swabs and viral transport media for Monkeypox testing, which may not have the equivalent ingredients as the media validated by Quest Diagnostics.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F314000008
WX0000003826
Printed D&T: 09/14/23 11:54

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/14/2023 11:53 Received: 09/14/2023 11:53

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
------------------	---------------	-------------	-------------------	--------------	-------------

Periodically, Quest Diagnostics may need to modify the authorized test and the modified test will not be reviewed by FDA. For a list of such modifications, supporting data, and additional information please refer to:
(This link is being provided for informational/educational purposes only.)

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.09.14 11:54 MKPXV

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F314000008
WX0000003826
Printed D&T: 09/14/23 11:54

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 2 OF 2