



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/11/2023 14:13 Received: 09/11/2023 14:13

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Ovarian Antibody Screen with Reflex to Titer, IFA | See Below | | | | WMQC

Ovarian Ab Screen

Table with 4 columns: Test, Result, Flag, Ref Range. Row 1: Anti-Ovary Antibody | NEGATIVE | | NEGATIVE

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Ovarian Ab Titer TNP
TNP-Screening test Negative or Not Detected.
Titer not performed.

Performed at Quest Diagnostics Nichols Institute
33608 Ortega Highway San Juan Capistrano, CA 92675-2042
Laboratory Director: I Maramica MD, PhD, MBA

Performing Site:
WMQC: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.09.11 14:13

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED