

LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108

EXAMPLE, REPORT W

WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 09:52 Received: 08/29/2023 09:52

Test Name Result Flag Ref-Ranges Units Site

ThinPrep(R) Imaging Pap

Report Status: QCRL F **ROUTINE** QCRL Clinical Information: QCRL LMP: N/A QCRL Prev. Pap: N/A QCRL Prev. Bx: N/A QCRL Source: Cervix QCRL SEE NOTE Statement of Adequacy:

Satisfactory for Evaluation

No endocervical/transformation zone component identified

SEE NOTE OCRI General Categorization:

NEG

OCRI Interpretation/Result: SEE NOTE

NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

SEE NOTE QCRL Infection:

No Organisms Detected Test Performed at:

Quest Diagnostics/Nichols Chantilly

14225 Newbrook Dr

Chantilly, VA 20151-2228 P W Mason MD, PhD

QCRL Comment:

QCRL Cytotechnologist: SEE NOTE

Screener PMD CT (ASCP)

EXPLANATORY NOTE:

The Pap is a screening test for cervical cancer. It is not a diagnostic test and is subject to false negative and false positive results. It is most reliable when a satisfactory sample, regularly obtained, is submitted with relevant clinical findings and

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F229000013 WX000003826 Printed D&T: 08/29/23 09:57

Ordered By: KAJAL SITWALA, MD, PhD WX0000000002353

Form: MM RL1

Kaial V. Sitwala, MD, PhD - Medical Director

PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108 **EXAMPLE, REPORT W**

WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 09:52 Received: 08/29/2023 09:52

Test Name Result Flag Ref-Ranges Units Site

history, and when the Pap result is evaluated along with historic and current clinical information.

This Pap test has been evaluated with computer assisted

technology.

Review Cytotechnologist: . QCRL Pathologist: . QCRL

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.08.29 9:57 TPRIP

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, $\,$. - NOT TESTED

F229000013 WX0000003826 Printed D&T: 08/29/23 09:57 Ordered By: KAJAL SITWALA, MD, PhD WX00000000002353