



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000003039 M 12/05/1988 34 Y

Referral Testing

Collected: 02/13/2023 11:05 Received: 02/17/2023 08:56

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Enterovirus Panel, CF, Serum and Coxsackles A2, A4, A7, A9, A10, A16 Ab.

REFERENCE RANGE: <1:8

INTERPRETIVE CRITERIA:

<1:8 Antibody Not Detected
> or = 1:8 Antibody Detected

Single titers of > or = 1:32 are indicative of recent infection. Titers of 1:8 or 1:16 may be indicative of either past or recent infection, since CF antibody levels persist for only a few months. A four-fold or greater increase in titer between acute and convalescent specimens confirms the diagnosis. There is considerable crossreactivity among enteroviruses; however, the highest titer is usually associated with the infecting serotype.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Echovirus 4, 7, and 9 Ab.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000003039 M 12/05/1988 34 Y

Referral Testing

Collected: 02/13/2023 11:05 Received: 02/17/2023 08:56

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Echovirus 11 Ab and Echovirus 30 Ab.

REFERENCE RANGE: <1:8

INTERPRETIVE CRITERIA:

<1:8 Antibody Not Detected
> or = 1:8 Antibody Detected

Single titers > or = 1:32 are indicative of recent infection. Titers of 1:8 and 1:16 may be indicative of either past or recent infection, since CF antibody levels persist for only a few months. A four-fold or greater increase in titer between acute and convalescent specimens confirms the diagnosis. There is considerable crossreactivity among enteroviruses; however, the highest titer is usually associated with the infecting serotype.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

E617000000 Ordered By: CLIENT CLIENT
WX0000003039 WX00000000001595
Printed D&T: 02/17/23 08:59

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 2 OF 2