

LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108

EXAMPLE, REPORT W

WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 11:39 Received: 08/25/2023 11:39

<u>Test Name</u> <u>Result</u> <u>Flag Ref-Ranges</u> <u>Units</u> <u>Site</u>

Bartonella henselae & B. quintana Antibodies, IgG & IgM

Bartonella henselae Antibody IgG <1:64

INTERPRETIVE INFORMATION: Bartonella henselae Ab, IgG

Less than 1:64 Negative: No significant level of Bartonella henselae IgG antibody

detected.

1:64 - 1:128 Equivocal: Questionable presence of Bartonella henselae IqG

antibody detected. Repeat testing in 10-14 days may be helpful.

1:256 or greater Positive: Presence of IgG

antibody to Bartonella henselae detected, suggestive of current

or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but are inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella henselae Antibody IgM

<1:16

ARRL

INTERPRETIVE INFORMATION: Bartonella henselae Antibody, IgM

Less than 1:16 Negative: No significant level of Bartonella henselae IgM antibody

detected.

1:16 or greater Positive: Presence of IgM antibody to Bartonella henselae detected,

suggestive of current or recent

infection.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, $\,$. - NOT TESTED

F225000006 WX0000003827 Printed D&T: 08/25/23 11:39 Ordered By: KAJAL SITWALA, MD, PhD WX00000000002365



LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108

EXAMPLE, REPORT W

WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 11:39 Received: 08/25/2023 11:39

<u>Test Name</u> <u>Result</u> <u>Flag Ref-Ranges</u> <u>Units</u> <u>Site</u>

The presence of IgM antibodies suggest recent infection, low levels of IgM antibodies may occasionally persist for more than 12 months post infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella quintana Antibody IgG

<1:64

ARRL

INTERPRETIVE INFORMATION: Bartonella quintana Antibody, IgG

Less than 1:64 Negative: No significant level of Bartonella quintana IgG antibody

detected.

1:64 - 1:128 Equivocal: Questionable presence

of Bartonella quintana IgG antibody detected. Repeat testing

in 10-14 days may be helpful.

1:256 or greater Positive: Presence of IgG

antibody to Bartonella quintana detected, suggestive of current

or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but is inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is a significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella quintana Antibody IgM

<1:16

ARRL

INTERPRETIVE INFORMATION: Bartonella quintana Ab, IgM

Less than 1:16 Negative-No significant level of

Bartonella quintana IgM antibody

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, $\,$. - NOT TESTED

F225000006 WX0000003827 Printed D&T: 08/25/23 11:39 Ordered By: KAJAL SITWALA, MD, PhD WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director Form: MM RL1 PAGE 2 OF 3



LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108 **EXAMPLE, REPORT W**

WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 11:39 Received: 08/25/2023 11:39

Test Name Result Flag Ref-Ranges Units Site

detected.

1:16 or greater Positive-Presence of IgM antibody to Bartonella quintana detected, suggestive of current or recent infection.

The presence of IgM antibodies suggests recent infection. Low levels of IgM antibodies may occasionally persist for more than 12 months post-infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way

Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.08.25 11:39 BARTO

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, $\,$. - NOT TESTED

F225000006 WX0000003827 Printed D&T: 08/25/23 11:39 Ordered By: KAJAL SITWALA, MD, PhD WX00000000002365