



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 11:42 Received: 08/25/2023 11:42

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Bartonella henselae Ab, IgG, <1:64, ARRL

INTERPRETIVE INFORMATION: Bartonella henselae Ab, IgG

- Less than 1:64 Negative: No significant level of Bartonella henselae IgG antibody detected.
1:64 - 1:128 Equivocal: Questionable presence of Bartonella henselae IgG antibody detected. Repeat testing in 10-14 days may be helpful.
1:256 or greater Positive: Presence of IgG antibody to Bartonella henselae detected, suggestive of current or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but are inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Bartonella henselae Ab, IgM, <1:16, ARRL

INTERPRETIVE INFORMATION: Bartonella henselae Antibody, IgM

- Less than 1:16 Negative: No significant level of Bartonella henselae IgM antibody detected.
1:16 or greater Positive: Presence of IgM antibody to Bartonella henselae detected, suggestive of current or recent infection.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 11:42 Received: 08/25/2023 11:42

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
	The presence of IgM antibodies suggest recent infection, low levels of IgM antibodies may occasionally persist for more than 12 months post infection.				

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.08.25 11:42 BHGMA

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F225000007
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 08/25/23 11:49

PAGE 2 OF 2