

### LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108

# **EXAMPLE, REPORT W**WX0000003826 F 12/05/1988

Collected: 12/07/2023 15:30 Received: 12/07/2023 15:30

# Clinical Urine Drug Abuse Scrn 8A

Test Name	<u>Result</u>	<u>Flag</u>	Ref-Ranges	<u>Units</u>	<u>Site</u>
Amphetamine	Negative				WMRL
Barbiturates	Negative				WMRL
Benzodiazepine	Negative				WMRL
Cocaine	Negative				WMRL
Ethanol	Negative				WMRL
Opiate	Negative				WMRL
PCP	Negative				WMRL
THC	Negative				WMRL
Creatinine	40		20-250	mg/dL	WMRL
Adulterant	Negative				WMRL
See Below	SeeBelow				WMRL

All positive screening (immunoassay) results should be considered presumptive positives until/unless confirmed by an alternative chemical method.

#### Decision Limits

Screen Cutoff Conc. 500 ng/mL Amphetamine Barbiturates 200 ng/mL Benzodiazepines 100 ng/mL Cocaine 150 ng/mL Ethanol 20 mg/dL 300 ng/mL Opiates Phencyclidine 25 ng/mL THC (Cannabis) 25 ng/mL

Adulterant Decision Limit:
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F607000061 Ordered By: KAJAL V SITWALA, MD

WX0000003826 WX000000000002353 Printed D&T: 12/07/2023 15:33

PAGE 1 OF 2

WMB-23-1300

Kajal V. Sitwala, MD, PhD - Medical Director



## LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road Ann Arbor MI 48108 **EXAMPLE, REPORT W** WX0000003826 F 12/05/1988

Test Name Result Flag Ref-Ranges Units Site

confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F607000061 Ordered By: KAJAL V SITWALA, MD WX0000003826 Printed D&T: 12/07/2023 15:33 WX0000000002353 WMB-23-1300 PAGE 2 OF 2

Kajal V. Sitwala, MD, PhD - Medical Director