



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988

Collected: 12/07/2023 15:41

Received: 12/07/2023 15:41

Clin Urine Drug Abuse Scrn 9C w/Confirm

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Amphetamine Screen, Barbiturate Screen, Benzodiazepine Screen, Cocaine Screen, Methadone Screen, Opiate Screen, Phencyclidine Screen, Propoxyphene Screen, THC Screen, Creatinine, Adulterant, and See Below.

The opiate screen interpretation result includes immunoassay screen tests for both general opiates and oxycodone.

Decision Limits

Table with 4 columns: Screen Cutoff Conc., Confirm Cutoff Conc., and two unlabeled columns. Rows list various substances like Amphetamine, Barbiturates, Benzodiazepines, Cocaine, Methadone, Opiates, Phencyclidine, Propoxyphene, and THC (Cannabis).

* Decision limit depends on drug detected.

Adulterant Decision Limit:
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F607000064

Ordered By: KAJAL V SITWALA, MD

WMB-23-1303

WX0000003826

WX00000000002353

PAGE 1 OF 2

Printed D&T: 12/07/2023 15:43

Kajal V. Sitwala, MD, PhD - Medical Director



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
------------------	---------------	-------------	-------------------	--------------	-------------

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F607000064

Ordered By: KAJAL V SITWALA, MD

WMB-23-1303

WX0000003826

WX0000000002353

PAGE 2 OF 2

Printed D&T: 12/07/2023 15:43

Kajal V. Sitwala, MD, PhD - Medical Director