



LABORATORY REPORT

Example Client, XYZ123
 1234 Warde Road
 Ann Arbor MI 48108

EXAMPLE, REPORT W
 WX0000003826 F 12/05/1988

Collected: 12/08/2023 09:02

Received: 12/08/2023 09:02

Clin Urine Pain Panel Scrn Only

Test Name	Result	Flag	Ref-Ranges	Units	Site
Amphetamine	Negative				WMRL
Barbiturates	Negative				WMRL
Benzodiazepine	Negative				WMRL
Buprenorphine	Negative				WMRL
Cocaine	Negative				WMRL
Ethanol	Negative				WMRL
Fentanyl	Negative				WMRL
Meperidine	Negative				WMRL
Methadone	Negative				WMRL
Opiate	Negative				WMRL
Oxycodone	Negative				WMRL
PCP	Negative				WMRL
Propoxyphene	Negative				WMRL
THC	Negative				WMRL
Tramadol	Negative				WMRL
Creatinine	40		20-250	mg/dL	WMRL
Adulterant	Negative				WMRL
See Below	SeeBelow				WMRL

All positive screening (immunoassay) results should be considered presumptive positives until/unless confirmed by an alternative chemical method.

Decision Limits

Screen	Cutoff	Conc.
Amphetamine	500	ng/mL
Barbiturates	200	ng/mL
Benzodiazepines	100	ng/mL
Buprenorphine	5	ng/mL
Cocaine	150	ng/mL
Ethanol	20	mg/dL
Fentanyl	2	ng/mL
Meperidine	200	ng/mL
Methadone	150	ng/mL
Opiates	300	ng/mL
Oxycodone	100	ng/mL
Phencyclidine	25	ng/mL
Propoxyphene	300	ng/mL
THC (Cannabis)	25	ng/mL

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F60800009

Ordered By: KAJAL V SITWALA, MD

WMB-23-1315

WX0000003826

WX0000000002353

PAGE 1 OF 2

Printed D&T: 12/8/2023 9:10 AM

Kajal V. Sitwala, MD, PhD - Medical Director



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Tramadol, 200 ng/mL, empty, empty, empty, empty.

Adulterant Decision Limit:
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:
WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F608000009 Ordered By: KAJAL V SITWALA, MD
WX0000003826 Printed D&T: 12/8/2023 9:10 AM
WX0000000002353

WMB-23-1315
PAGE 2 OF 2

Kajal V. Sitwala, MD, PhD - Medical Director