



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978

Collected: 12/08/2023 13:41 Received: 12/08/2023 13:41

Clinical Urine Opiate Confirm

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Morphine, Codeine, Hydrocodone, Hydromorphone, Oxycodone, Oxymorphone, Creatinine, and Adulterant.

Confirmation (LC/MS/MS) Decision Limits

Table with 2 columns: Substance, Decision Limit. Rows include Morphine, Codeine, Hydrocodone, Hydromorphone, Oxycodone, and Oxymorphone.

Adulterant Decision Limit:
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F608000031

Ordered By: KAJAL V SITWALA, MD

WMB-23-1335

WX0000003827

WX0000000002365

PAGE 1 OF 1

Printed D&T: 12/8/2023 2:14 PM

Kajal V. Sitwala, MD, PhD - Medical Director