



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978

Collected: 12/07/2023 14:54

Received: 12/07/2023 14:54

Clin Urine Benzodiazepine Scrn

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Benzodiazepine	Negative				WMRL
Creatinine	40		20-250	mg/dL	WMRL
Adulterant	Negative				WMRL

All positive screening (immunoassay) results should be considered presumptive positives until/unless confirmed by an alternative chemical method.

Test Information

Screen Cutoff Conc.
Benzodiazepines 100 ng/mL

Adulterant Decision Limit:
General Oxidants 200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F607000052

Ordered By: KAJAL V SITWALA, MD

WMB-23-1291

WX0000003827

WX00000000002365

PAGE 1 OF 1

Printed D&T: 12/07/2023 14:58

Kajal V. Sitwala, MD, PhD - Medical Director