



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000089237 F 42 Y

Referral Testing

Collected: 05/30/2023 11:48 Received: 05/30/2023 11:48

Test Name Result Flag Ref-Ranges Units Site

Macroprolactin

Comment SEE BELOW MMRL

Total prolactin and unprecipitated prolactin are within the age/gender stratified reference interval. 60% or less of serum prolactin precipitated following incubation with polyethylene glycol (PEG). Results are not consistent with the presence of macroprolactin. These results should be interpreted in the context of patient presentation and other clinical findings. Prolactin was measured using the Roche Cobas e immunoassay analyzer.

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Table with 5 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Percent, Prolactin, Total, S, and Prolactin, Unprecipitated, S.

Performing Site:

MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED