



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Molecular

Collected: 07/28/2023 08:46 Received: 07/28/2023 08:46

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Neisseria gonorrhoeae Testing by PCR, First catch urine, Not detected, Not detected, WMRL.

This test was performed using the Alinity m STI in vitro PCR assay (Abbott Molecular, Inc.). This test is approved for testing endocervical, vaginal, first-catch urine, oropharyngeal swabs, and rectal swabs. The use of this test for other specimens and/or sites has not been validated. The analytical sensitivity of this assay is 7.5 colony forming units per mL. This test is only intended for clinical monitoring of patients and should not be used for medical-legal purposes or to assess therapeutic success. Confirmatory testing by alternate nucleic acid target has not been performed. A negative result does not exclude the possibility of infection with N. gonorrhoeae.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.07.28 8:46 GCPCR

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F128000002 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002354
Printed D&T: 07/28/23 08:46

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1