



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 34 Y

Referral Testing

Collected: 03/17/2021 16:28 Received: 03/17/2021 16:28

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Adiponectin, 50.0, , , ug/mL, QCRL

Reference Range for Female Adiponectin: BMI (kg/meter squared) <25: 5-37 ug/mL; BMI 25-30: 5-28 ug/mL; BMI >30: 4-22 ug/mL.

This test is performed by an Enzyme Linked Immunosorbent Assay (ELISA) method. This test was developed and its performance characteristics determined by the Cleveland HeartLab, Inc. It has not been cleared or approved by the U.S. FDA. The Cleveland HeartLab, Inc. is regulated under Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high-complexity testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.

Test Performed at:
Cleveland HeartLab, Inc
6701 Carnegie Avenue Suite 500
Cleveland, OH 44103-4623 B G Richendollar MD

Reported Date: 03/17/2021 16:28 ADIPO

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

C31700011 Ordered By: CLIENT CLIENT
WX0000003481 WX0000000002063
Printed D&T: 11/30/23 09:26

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1