



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 08/18/2023 10:57 Received: 08/18/2023 10:57

Test Name	Result	Flag	Ref-Ranges	Units	Site
Antimicrobial Susceptibility - MIC, Individual	See Below				WMAR

Test Requested  
Antimicrobial Susceptibility - MIC, Individual

Source: Respiratory  
Body Site: Tracheal  
Free Text Sources: Resp

### Final Report

Pseudomonas aeruginosa  
Organism identified by client

### Susceptibility Results

Organism: Pseudomonas aeruginosa

Ceftazidime/Avibactam	Interpretation: SUSCEPTIBLE MIC (ug/mL): 8/4
Ceftolozane/Tazobactam	Interpretation: SUSCEPTIBLE MIC (ug/mL): 2/4
Meropenem/Vaborbactam	Interpretation: NO INTERPRETATION MIC (ug/mL): 0.5/8

Interpretive Results  
INTERPRETIVE INFORMATION: Antibiotic MIC  
Units = ug/ml

Performed by ARUP Laboratories  
500 Chipeta Way, Salt Lake City, UT 84108  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:

WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.08.31 10:11

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F218000043  
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002354

Printed D&T: 08/31/23 10:12

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1