



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/28/2023 11:05 Received: 08/28/2023 11:05

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: TRG BF with RFLX to CHYLO, 162, mg/dL, ARRL.

INTERPRETIVE INFORMATION: Triglycerides, Fluid

For information on body fluid reference ranges and/or interpretive guidance visit http://aruplab.com/bodyfluids/

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Triglycerides Fluid Source, Pleural fluid, ARRL. Row 2: Right Chylomicron Screen, Body Fluid, Present, AB, Absent, ARRL.

Chylomicrons were detected. This appears to be a chylous fluid.

INTERPRETIVE INFORMATION: Chylomicron Screen, Body Fluid

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.10.02 9:52 TBFCE

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED