



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/24/2023 15:45 Received: 08/24/2023 15:45

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Glutamic Acid Decarboxylase (GAD65) Ab, CSF, 0.01, <=0.02, nmol/L, MMRL

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.08.24 15:45

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F224000027 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 08/24/23 15:45

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1