



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 08:01 Received: 08/25/2023 08:01

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Histamine, 24-Hour Urine. Row 2: Total Volume, 2000, QCLR. Row 3: Histamine, 24hr Urine, 0.007, mg/24 h, QCLR.

Reference Range:
0.006-0.131

This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. This test should not be used for diagnosis without confirmation by other medically established means.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.08.25 8:01 HI24U

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED