



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 11/03/2023 15:39 Received: 11/03/2023 15:39

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Methylmalonic Acid, GC/MS/MS, Urine; Methylmalonic Acid, Urine; 0.5; 0.3-2.2; mmol/L; QCRL

UNITS OF MEASURE: mmol/mol creat

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Creatinine Random, Urine; 5.00; 1.77-23.31; mmol/L; QCRL

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

Reported Date: 11/03/2023 15:39 UMMAG

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED