



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 10/20/2023 11:38 Received: 10/20/2023 11:38

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Acetylcholine Receptor Ganglionic (Alpha 3) Ab, <55, <55, <55, pmol/L, QCRL

Reference Ranges for
Acetylcholine Receptor
Ganglionic Antibody:

Negative: <55 pmol/L
Borderline: 55-160 pmol/L
Positive: >160 pmol/L

This test was developed and its analytical performance characteristics
have been determined by Quest Diagnostics Nichols Institute San Juan
Capistrano. It has not been cleared or approved by FDA. This assay has
been validated pursuant to the CLIA regulations and is used for
clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway

Reported Date: 2023.10.20 11:38

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED