



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 34 Y

Referral Testing

Collected: 06/18/2021 16:35 Received: 06/18/2021 16:35

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Myasthenia Gravis Panel 3, Acetylcholine Rec Bind Ab, 1.25, H, nmol/L, QCRL

Reference Ranges for Acetylcholine Receptor Binding Antibody:

Negative: < or =0.30 nmol/L
Equivocal: 0.31-0.49 nmol/L
Positive: > or =0.50 nmol/L

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Acetylcholine Rec Bloc Ab, 33, H, <15, % Inhibition, QCRL

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Acetylcholine Rec Mod Ab, 55, H, % Inhibition, QCRL

Reference Range:
<32% INHIBITION

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Striated Muscle Ab Screen, POSITIVE, AB, NEGATIVE, QCRL

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 34 Y

Referral Testing

Collected: 06/18/2021 16:35 Received: 06/18/2021 16:35

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: clinical purposes. Row 2: Striated Muscle Ab Titer, 1:80, H, <1:40, QCRL.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042

I Maramica MD, PhD, MBA

Reported Date: 06/18/2021 16:37 MGP3

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED