



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 01/17/2024 08:56 Received: 01/17/2024 08:56

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Fly Horse (Tabanus spp) IgE\*, Fly Horse IgE, <0.10, <0.35, kU/L, VIRL. Row 2: Fly Horse IgE Class, 0, , , , VIRL.

The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10 - 0.34 kU/L= 0/1, Equivocal/Borderline; 0.35 - 0.69 kU/L=1, Low Positive; 0.70 - 3.49 kU/L=2, Moderate Positive; 3.50 - 17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00 - 99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive \*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At: Eurofins Viracor, LLC 18000 W. 99th Street, Suite 10 Lenexa, KS 66219 Lab Director: Brock Neil, PhD BCLD (ABB) CLIA # 26D-0983643 FLAG Interpretation: A = Abnormal, H = High, L = Low

Reported Date: 01/17/2024 08:56 FHIGE

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED