



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 35 Y

Immunology

Collected: 02/13/2024 08:30 Received: 02/13/2024 08:30

Test Name	Result	Flag	Ref-Ranges	Units	Site
SARS Coronavirus 2 IgG Antibody	<13.00		<13.00	AU/mL	WMRL

Antibodies for SARS-CoV-2 are NOT DETECTED.

The DiaSorin Liaison SARS-Co-V-2 TrimericS IgG antibody test is intended for the qualitative and semi-quantitative detection of IgG antibodies to SARS-CoV-2 in human serum and plasma, for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating recent or prior infection. The performance of this test has not been established in individuals that have received a COVID-19 vaccine. The clinical significance of a positive or negative antibody result following COVID-19 vaccination has not been established, and the result from this test should not be interpreted as an indication or degree of protection from infection after vaccination. At this time, it is unknown for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. Samples should only be tested from individuals that are 15 days or more post symptom onset. Negative results do not preclude acute SARS-CoV-2 infection. If acute infection is suspected, direct testing for SARS-CoV-2 is necessary. This test is used under FDA emergency use authorization (EUA) during the COVID-19 public health emergency. It has not been cleared or approved by FDA. EAUs remain in effect after the COVID-19 public health emergency.

The FDA requires that a fact sheet be made available for patients and healthcare providers regarding this test.

The fact sheet for patients may be found at:
<https://wardelab.com/wp-content/uploads/2021/11/DiaSorin-Tri-mericS-IgG-fact-sheet-for-patients.pdf>

The fact sheet for healthcare providers may be found at:
<https://wardelab.com/wp-content/uploads/2021/11/DiaSorin-Tri-mericS-IgG-fact-sheet-for-providers.pdf>

Reported Date: 02/13/2024 08:30 COV2G

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F813000003
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX0000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1

Printed D&T: 02/13/24 08:31

PAGE 1 OF 1