



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT**  
WX0000072099 M 12/05/1988 35 Y

## Molecular

Collected: 04/16/2024 11:39 Received: 04/16/2024 11:39

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
<b>Calprotectin</b>					
Calprotectin	48.0		<50	mcg/g	WMRL

<50 mcg/g	Normal
50 - 120 mcg/g	Borderline
>120 mcg/g	Abnormal

Borderline results suggest repeat testing in 4 to 6 weeks.

**Reported Date:** 04/16/2024 11:39 CALPT

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

B216000498 Ordered By: CLIENT CLIENT  
WX0000072099 WX00000000494009  
Printed D&T: 04/16/24 11:39

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1