



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 35 Y

## Immunochemistry

Collected: 05/02/2024 07:30 Received: 05/02/2024 07:30

Test Name	Result	Flag	Ref-Ranges	Units	Site
<b>Thyroglobulin and Anti-Thyroglobulin Antibody Panel</b>					
Anti-thyroglobulin Antibody	2		<4	IU/mL	WMRL
Thyroglobulin	5.0		SeeBelow	ng/mL	WMRL

Thyroglobulin Reference Range:  
Intact thyroid: 1.6-50.0 ng/mL  
Athyrotic, post-thyroidectomy (tumor marker): <0.1 ng/mL

Thyroglobulin antibodies can interfere with the determination of thyroglobulin. If the specimen contains thyroglobulin antibodies, please interpret the thyroglobulin result with caution.

The Beckman Access DXI chemiluminescent immunoassay is used. Results obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

**Reported Date:** 05/02/2024 07:32 THY

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

G10200000  
WX0000003826

Ordered By: KAJAL SITWALA, MD, PHD  
WX00000000002353

Printed D&T: 05/02/24 07:33

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1