



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 35 Y

Referral Testing

Collected: 05/15/2024 15:40 Received: 05/15/2024 15:40

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Arsenic, 24 Hour Urine. Row 2: Total Volume 1650. Row 3: Arsenic, 24 Hour Urine 13 <81 mcg/L.

(Note)
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

MDF
med fusion
2501 South State Highway 121, Suite 1100
Lewisville TX 75067
972-966-7300
Ithiel James L. Frame, MD, PhD
Test Performed at:
MedFusion
2501 South State Highway 121, Suite 1100

Reported Date: 05/15/2024 15:41 UARSN

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED