



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 46 Y

Referral Testing

Collected: 08/13/2024 13:49 Received: 08/13/2024 13:49

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Selenium, 95, 63-160, mcg/L, QCRL

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

TEST PERFORMED AT:
QUEST DIAGNOSTICS NICHOLS VALENCIA
27027 TOURNEY ROAD VALENCIA, CA 91355-5386
THOMAS MCDONALD, MD

Reported Date: 08/13/2024 13:49 SELS

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

G413000032 Ordered By: KAJAL SITWALA, MD, PHD
WX0000003827 WX00000000002516
Printed D&T: 08/13/24 13:49

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1