



## LABORATORY REPORT

QC ACCOUNT (WARDE)  
300 W. TEXTILE  
ANN ARBOR MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1968 56 Y

### Referral Testing

Collected: 01/10/2025 13:28

Received: 01/10/2025 13:28

| Test Name                                                          | Result                     | Flag | Ref-Ranges | Units  | Site |
|--------------------------------------------------------------------|----------------------------|------|------------|--------|------|
| <b>Antimicrobial Susceptibility Panel, Anaerobic Bacteria, MIC</b> |                            |      |            |        |      |
| Source                                                             | SWAB                       |      |            |        | QCRL |
| Organism                                                           | FUSOBACTERIUM<br>NUCLEATUM |      |            |        | QCRL |
| Ampicillin/Sulbactam                                               | 0.25 S                     |      |            | mcg/mL | QCRL |
| Clindamycin                                                        | >=256 R                    |      |            | mcg/mL | QCRL |
| Imipenem                                                           | 0.12 S                     |      |            | mcg/mL | QCRL |
| Meropenem                                                          | 0.12 S                     |      |            | mcg/mL | QCRL |
| Metronidazole                                                      | 0.25 S                     |      |            | mcg/mL | QCRL |
| Penicillin                                                         | >=256 R                    |      |            | mcg/mL | QCRL |

MIC values are expressed in mcg/mL

S=Susceptible, I=Intermediate, R=Resistant

All breakpoints are based on FDA or CLSI guidelines.  
Only the MIC value is reported when FDA or CLSI  
guideline is not available.

Test Performed at:  
Quest Diagnostics Nichols Institute  
33608 Ortega Highway

**Reported Date:** 01/10/2025 13:30 APABM

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

G910000004  
WX0000003827

Printed D&T: 01/10/25 13:30

Ordered By: KAJAL SITWALA, MD, PHD  
WX000000000002516

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1