



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1968 56 Y

Referral Testing

Collected: 12/19/2024 08:11 Received: 12/19/2024 08:11

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Francisella tularensis Ab IgG/IgM tests with results like Positive and See Note.

Presence of IgG and IgM antibodies to Francisella tularensis detected, suggestive of recent infection. INTERPRETIVE INFORMATION: F. tularensis Antibody Interpretation

Cross-reactivity with Brucella and Yersinia antibodies may occur. False-positive results are possible, therefore results should be interpreted with caution and correlated with clinical information. Confirmed by another method, such as agglutination may be helpful. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes. Performed By: ARUP Laboratories 500 Chipeta Way Salt Lake City, UT 84108 Laboratory Director: Jonathan R. Genzen, MD, PhD CLIA Number: 46D0523979

Reported Date: 12/19/2024 08:13 FTGM

Performing Site: ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED