



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 36 Y

Referral Testing

Collected: 07/17/2025 08:35 Received: 07/17/2025 08:35

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Admark Alzheimer's Evaluation, CSF Summary Interpretation, Beta-Amyloid (1-42), CSF, tTau, CSF, pTau181, CSF, tTau/Abeta42 Ratio, and tTau/Abeta42 Interpretation.

A negative result consistent with a negative amyloid PET scan result.

tTau/Abeta42 ratio result is used as an adjunct to other clinical diagnostic evaluations.

Test Performed at:
Quest Diagnostics Nichols Institute

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

H517000001 Ordered By: CLIENT CLIENT
WX0000003826 WX00000000002823
Printed D&T: 07/17/25 08:39

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 2



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 36 Y

Referral Testing

Collected: 07/17/2025 08:35 Received: 07/17/2025 08:35

Test Name Result Flag Ref-Ranges Units Site
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA
pTau181/Abeta42 Ratio 0.023 QCRL

Reference Range:
< OR = 0.023
pTau181/Abeta42 Interpretation SEE NOTE QCRL

A negative result consistent with a negative amyloid PET scan result.

pTau181/Abeta42 ratio results is used as an adjunct to other clinical
diagnostic evaluations.
Comments SEE NOTE QCRL

Tests performed by Roche Diagnostics Electrochemiluminescence
Immunoassay (ECLIA). Values obtained with different assay
methods or kits cannot be used interchangeably.

Healthcare providers with questions regarding these results,
please contact Quest Diagnostics at 1-800-642-4657.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

Reported Date: 07/17/2025 08:39 ALZEC

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

H517000001 Ordered By: CLIENT CLIENT
WX0000003826 WX00000000002823
Printed D&T: 07/17/25 08:39

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 2 OF 2