



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT

WX0000000237 F 12/05/1988 36 Y

Referral Testing

Collected: 09/17/2025 14:43

Received: 09/17/2025 14:43

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
PM/Scl-100 Antibody, IgG by Immunoblot	Negative		Negative		ARRL

For interface testing only. Please disregard.

INTERPRETIVE INFORMATION: PM/Scl-100 Antibody, IgG by Immunoblot

The presence of PM/Scl-100 IgG antibody along with a positive ANA IFA nucleolar pattern is associated with connective tissue diseases such as polymyositis (PM), dermatomyositis (DM), systemic sclerosis (SSc), and polymyositis/systemic sclerosis overlap syndrome. The clinical relevance of PM/Scl-100 IgG antibody with a negative ANA IFA nucleolar pattern is unknown. PM/Scl-100 is the main target epitope of the PM/Scl complex, although antibodies to other targets not detected by this assay may occur.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories

500 Chipeta Way

Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

CLIA Number: 46D0523979

Reported Date: 09/17/2025 14:43 PSABG

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

E117000003
WX0000000237

Printed D&T: 09/17/25 14:44

Ordered By: CLIENT CLIENT
WX00000000000336

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1