



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT

WX0000000158 M 07/08/1968

Collected: 09/18/2025 08:17

Received: 09/18/2025 08:17

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Zinc, Serum/Plasma	50.00		50.0-150.0	ug/dL	WMRL

Elevated results may be due to sample collected in a non-certified trace element-free tube.

This test was developed and the performance characteristics determined by Warde Medical Laboratory. It has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

Performing Site:

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

E118000004

Ordered By: CLIENT C CLIENT, MD

WX0000000158

WX00000000000260

Report Date: 09/18/2025 08:22

WMB-25-3518

Page 1 of 1

Kajal V. Sitwala, MD, PhD - Medical Director