



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000000237 F 12/05/1988 37 Y

Referral Testing

Collected: 01/16/2026 12:12 Received: 01/16/2026 12:12

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Contains two rows for Ehrlichia chaffeensis Antibodies (IgG, IgM) w/ Ref to Titers.

Seroconversion demonstrated by a 4-fold or greater increase in IgG titer or a single IgG titer of > or = 1:128 is considered presumptive laboratory evidence of current or past infection. Antibodies may persist for months to years after clearance of infection. Serologic cross reactivity between closely related organisms, such as Anaplasma species, can occur. This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed by Quest, Chantilly, Quest Diagnostics Nichols Institute, 14225 Newbrook Drive, Chantilly, VA 20151 Patrick W Mason, M.D., Ph.D., Director of Laboratories (703) 802-6900, CLIA 49D0221801

Table row for E. chaffeensis, IgG, Titer. Result: 1:256, Flag: H, Ref-Ranges: <1:64, Units: Titer, Site: QHRL.

Test Performed by Quest, Chantilly, Quest Diagnostics Nichols Institute, 14225 Newbrook Drive, Chantilly, VA 20151 Patrick W Mason, M.D., Ph.D., Director of Laboratories (703) 802-6900, CLIA 49D0221801

Table row for E. chaffeensis, IgM, Titer. Result: 1:20, Flag: H, Ref-Ranges: <1:20, Units: Titer, Site: QHRL.

Reported Date: 01/16/2026 12:13 ECABT

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED