



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000000158 M 07/08/1968 57 Y

Referral Testing

Collected: 01/16/2026 11:24 Received: 01/16/2026 11:24

Test Name Result Flag Ref-Ranges Units Site

HTLV Types I/II Abs with Reflex to HTLV-I/II Confirmation

HTLV I/II Antibodies by ELISA See Confirm AB Negative ARRL

INTERPRETIVE INFORMATION: HTLV I/II Antibodies w/Reflex to Confirm

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

HTLV I/II Antibodies, Western Blot Positive AB Negative ARRL

Clinical Interpretation:
HTLV-I/II Western Blot Pattern:
(Key: 0 = neg, * = weak pos, 1 = moderate pos, 2 = strong pos, 3 = very strong pos, X=non-specific staining obscuring possible bands in that region)

GD21 p19 p24 p26 p28 p32 p36 gp46 p53 rgp46-II rgp46-I
- - - - - - - - - - -

Interpretation: POSITIVE for HTLV-I antibodies.

The Western blot detected antibodies to HTLV consistent with HTLV-I infection. The patient should be considered infectious.

INTERPRETIVE INFORMATION: HTLV I/II Ab, Western Blot
This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000000158 M 07/08/1968 57 Y

Referral Testing

Collected: 01/16/2026 11:24 Received: 01/16/2026 11:24

Test Name Result Flag Ref-Ranges Units Site

Reported Date: 01/16/2026 11:24 HTLVR

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

E516000005 Ordered By: CLIENT CLIENT
WX0000000158 WX00000000000260
Printed D&T: 01/16/26 11:24

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 2 OF 2