



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000073111 F 02/15/1985

Collected: 06/26/2026 11:51

Received: 06/26/2026 11:51

Clinical Methylphenidate and Ritalinic Acid Confirm

Test Name	Result	Flag	Ref-Ranges	Units	Site
Methylphenidate	>2000	H	Negative	ng/mL	WMRL
Ritalinic Acid	>2000	H	Negative	ng/mL	WMRL
Creatinine	75		20-250	mg/dL	WMRL
Adulterant	Negative				WMRL

Confirmation (LC/MS/MS) Decision Limits

Methylphenidate	50 ng/mL
Ritalinic Acid	50 ng/mL
Adulterant Decision Limit:	
General Oxidants	200 ug/mL

The adulterant assay tests for General Oxidants, including Chromates and Nitrites. Adulterants are substances either ingested or added directly to a urine specimen to prevent the detection of drug use.

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

D826000799

Ordered By: CLIENT C CLIENT,

WX0000073111

WX00000000409391

Report Date: 06/26/2026 11:55

WMB-26-366963

Page 1 of 1

Kajal V. Sitwala, MD, PhD - Medical Director